NH Public Utilities Commission

REC Aggregator Portal

NHPUC 13MAY 15AN 11:26

New Users CLICK HERE to setup your account for this form. Creating an account enables you to partially complete the form and return later to finish it or to make changes after the form is submitted. Be sure to create your account BEFORE entering information into the form, or the information will be lost.

Existing Users CLICK HERE
Basic Information
Who is submitting this request? Aggregator
Aggregator Batch Number
KE051016
Are you registered in NH O Yes No
Aggregator name Knollwood Energy
NH Reg #
Aggregator Email
karenton@knollwoodenergy.com
Other Aggregator name
Other aggregator email address
Facility Name
Facility Owner Name
Walter Ayers

Facility Owner email
wayers556@gmail.com
Owner Phone
603-903-1363
Facility Address
101 Oliver Hill Road
Facility Town/City
Swanzey
Facility State
NH
Facility Zip
03446
Is the facility address the same as the owner's mailing address
O Yes
No N
Mailing Address
P.O. Box 40353
Mailing Town/City
Swanzey
Swartzey
Mailing State
NH
Mailing Zip
03446
Primary Contact
Karen Tenneson
Primary Contact
Facility Primary Contact
Facility Primary Contact karenton@knollwoodenergy.com
I NOTOTROTROMINIOUS TOLLY, COLL

Other Email Address
Facility Information
Class
Utility
Eversource
Other Utility Name
To obtain a GIS ID contact:
James Webb
408 517 2174
jwebb@apx.com
GIS ID (include "NON")
NON77142
Date of Initial Operation
05/06/2016
Facility Operator Name, if applicable
Panel Make #1
Phonosolar
Panel Model
PS250P-20U
Panel Quantity
36
Panel Rated Output
250

More Panel types?

NoYes
Panel Make #2
Panel Model
Panel Quantity
Panel Rated Output
More Panel types?
NoYes
Panel Make #3
Panel Model
Panel Quantity
Panel Rated Output
System capacity based on panels
9000
Inverter Quantity
1
Inverter Make
Fronius
Add'l Inverter Quantity
NA
Additional Inverter Make
None

* .

Rated Output - Primary Inverter
240
Rated Output - Additional Inverter
System capacity based on single inverter make
240
System capacity based on two inverter types
System capacity in kW as stated on the interconnection agreement
9.0
Revenue Grade Meter Make GE
Was this facility installed directly by the customer (no electrician involved)?
O Yes No
Electrician Name & Number
Josh Weston6930M
Other Electrician Name & Number
Installation Company
Solar Dave LLC
Other Installation Company Name
Other Inst. Company Address
Other Inst. Company City
Other Inst. Company State

Other Inst. Company Zip
Independent Monitor Name & Company Paul Button - Energy Audits Unlimited
Other Monitor Name and Company
Is the installer also the equipment supplier? • Yes O No
Equipment Vendor
Please attach your completed interconnection agreement including Exhibit B.
https://fs30.formsite.com/jan1947/files/f-5-99-6750011_1D4sOqql_Walter_Ayers_COC.pdf
The project described in this application will meet the metering requirements of PUC 2506 including:
Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor or a designated representative.
A revenue quality meter is used to measure the electricity generated.
The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.
The meter shall be maintained according to the manufacturer's recommendations.
The project is installed and operating in conformance with applicable building codes.
A copy of the facility's interconnection agreement is attached.
Please attach additional document here

https://fs30.formsite.com/jan1947/files/f-5-168-6750011_213EMu47_Walter_Ayers_contract_part_3_-

Please attach additional document here

Kon Jon

https://fs30.formsite.com/jan1947/files/f-5-173-6750011_IA6oijFF_N5552_Walter_Ayers_PV_-_Process

Aggregator statement of accuracy

Sign your name using a mouse or, if you are using a touch-screen device, a stylus or other pointer.

Print Name

Karen Tonnesen

Date Signed

05/10/2016

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA



Simplified Process Interconnection Application and Service Agreement [submit form via email to: NHDG@eversource.com]

				Everso	urce Applicano	on Project ID#:	11 553 2
Contact Information:							
Legal Name and Addres	s of Interco	nnecting C	ustomer	(or Company	name if annror	oriate)	
Customer or Company N							
Contact Person, if Comp)				X OW IV II	
Mailing Address:		PO	Box	40353			
City: Swanz			State:			7in Code:	03446
Telephone (Daytime):	403	903 -	1363		(Evening):	Zip Code.	
Facsimile Number:				F-Mail	(Evening).	20405 550	o@gmail.com
1 dosimino 1 (dinico).				IC-IVIAII	Addiess	14 (1330)	Cymun, recui
Alternative Contact In	formation	(e.g. Syste	m install	ation contracto	r or coordinati	ng company if ann	ronriate):
Name: ARXIC					Dave		ropriato).
Mailing Address: 4		Do Hew	d ;	Loud			
City: Westner			State:	14		7in Code:	03467
Telephone (Daytime):	10 100000					_	
Facsimile Number:				F_Moil	Address:	edo cario	40 gmail. Ce
		8	=	D-Width	Address	JOHN CONVE	4 0 70.00 1.00
Electrical Contractor (`ontact:Inf	armation ((if annror	rriote).			
Name:	Ches	he	Ceum	ty Ele	etric		
Mailing Address:	0. 8	UN /4	15	1			
City: Us no her	~5		State:	NH		Zip Code:	03470
Telephone (Doutime):	10033 -	¥3-7	(7)		(Erranin a).		
Faccimile Number		20 0		E Mail	(Evening):	les la in accessor	yeldricuc@ gme
acsimic ramoci.			g	E-IVIAII	Address:	ask races	19 E GESTICADE JAN
Facility Site Informatio	.m.•			•			
Facility Site Information Facility (Site) Address:	10	1 01	iver	14:11	RA		
City: Swanze	- U	, ,	Stota: 4	MILI NILI		Zin Codo:	03446
Electric	7		state	C NII		Zip Code.	03916
	Eversour	ce ,	A coount:1	Jumbar 51	64317/60	OOD Water Numb	per: 572296936
Account and Meter Num				_			
Number on this applicati	on. If the fa	consuit an	be install	ed in a new lo	cation, please r	er the correct Acco	urce Work Request number.
					rannon, parazo p		and it offer the free training.
Eversource Work Req	uest#	***					
Non-Default' Service Cust	omers Only	yo ***					* * *
Competitive Electric	z-moi s Omi	_					
Energy Supply Company	·				٨٠٠	ount Number:	
			Comme	wakauld wast		-	contract with their Energy
Customer's with a Comp	cillive Lille	agy aupply	Compan	y snouta verif	y ine terms & (sonamons of their	contract with their Energy

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Simplified Process Interconnection Application and Service Agreement

Facility Machine Information:
Generator/ Model Name &
Inverter Manufacturer: Number: Number:
Nameplate Rating: 7600 (kW) (kVA) 200 (AC Volts) Phase: Single Three
Nameplate Rating: The Max AC Nameplate rating of the individual inverter.
System Design Capacity: 7.6 (kW) (kVA) Battery Backup: Yes No
System Design Capacity: The system total of the inverter AC ratings. If there are multiple inverters installed in the system, this is the
sum of the AC nameplate ratings of all inverters.
Net Metering: If Renewably Fueled, will the account be Net Metered? Yes No
Prime Mover: Photovoltaic Reciprocating Engine Fuel Cell Turbine Other
Energy Source: Solar Wind Hydro Diesel Natural Gas Fuel Oil Other
Inverter-based Generating Facilities:
UL 1741 / IEEE 1547.1 Compliant (Refer To Part Puc 906 Compliance Path For Inverter Units, Part Puc 906.01 Inverter Requirements) Yes No
The standard UL 1741.1 dated May, 2007 or later, "Inverters, Converters, and Controllers for Use With Independent Power Systems," addresses the electrical interconnection design of various forms of generating equipment. Many manufacturers choose to submit their equipment to a Nationally Recognized Testing Laboratory (NRTL) that verifies compliance with UL 1741.1. This term "Listed" is then marked on the equipment and supporting documentation. <i>Please include, any documentation provided by the inverter manufacturer describing the inverter's UL 1741/IEEE 1547.1 listing.</i>
External Manual Disconnect Switch:
An External Manual Disconnect Switch shall be installed in accordance with 'Part Puc 905 Technical Requirements For
Interconnections For Facilities, Puc 905.01 Requirements For Disconnect Switches and 905.02 Disconnect Switch.'
Yes No No
Location of External Manual Disconnect Switch: Sust St de of garage
Location of External Manual Disconnect Switch: <u>East St. L. of garage</u> Project Estimated Install Date: <u>5/20/2016</u> Project Estimated In-Service Date: <u>5/21/2016</u>
Interconnecting Customer Signature:
I hereby certify that, to the best of my knowledge, all of the information provided in this application is true and I agree to the Terms
and Conditions for Simplified Process Interconnections attached hereto:
1/1/1/
Please include a one-line and/or three-line diagram of proposed installation. Diagram must indicate the generator connection point in relation to the customer service panel and the Eversource meter socket. Applications without such a diagram may be returned.
For Eversource Use Only
Approval to Install Facility:
Installation of the Facility is approved contingent upon the Terms and Conditions For Simplified Process Interconnections of this
Agreement, and agreement to any system modifications, if required.
Are system modifications required? Yes No You To be Determined
Company Signature:
Eversource SPIA rev. 11/15 Page 2 of 5

EVERSOURCE – NEW HAMPSHIRE INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Terms and Conditions for Simplified Process Interconnections

Company waives inspection/Witness Test: Yes No	Date of inspection/Witness Test:
--	----------------------------------

- 1. Construction of the Facility. The Interconnecting Customer may proceed to construct the Facility in compliance with the specifications of its Application once the Approval to Install the Facility has been signed by the Company. Such Approval relates only to the Eversource and Puc 900 electrical interconnection requirements, and does not convey any permissions or rights associated with permits, code enforcement, easements, rights of way, set back, or other physical contrutruction issues.
- 2. Interconnection and operation. The Interconnecting Customer may operate Facility and interconnect with the Company's system once the all of the following has occurred:
 - 2.1. Municipal Inspection. Upon completing construction, the Interconnecting Customer will cause the Facility to be inspected or otherwise certified by the local electrical wiring inspector with jurisdiction.
 - 2.2. Certificate of Completion. The Interconnecting Customer returns the Certificate of Completion to the Agreement to the Company at address noted.
 - 2.3. Company has completed or waived the right to inspection.
- 3. Company Right of Inspection. The Company will make every attempt within ten (10) business days after receipt of the Certificate of Completion, and upon reasonable notice and at a mutually convenient time, conduct an inspection of the Facility to ensure that all equipment has been appropriately installed and that all electrical connections have been made in accordance with the Interconnection Standard. The Company has the right to disconnect the Facility in the event of improper installation or failure to return Certificate of Completion. All projects larger than 10 kVA will be witness tested, unless waived by the Company.
- 4. Safe Operations and Maintenance. The Interconnecting Customer shall be fully responsible to operate, maintain, and repair the Facility.
- 5. Disconnection. The Company may temporarily disconnect the Facility to facilitate planned or emergency Company work.
- 6. Metering and Billing. All renewable Facilities approved under this Agreement that qualify for net metering, as approved by the Commission from time to time, and the following is necessary to implement the net metering provisions:
 - 6.1. Interconnecting Customer Provides: The Interconnecting Customer shall furnish and install, if not already in place, the necessary meter socket and wiring in accordance with accepted electrical standards. In some cases the Interconnecting Customer may be required to install a separate telephone line.
 - 6.2. Company Installs Meter. The Company will make every attempt to furnish and install a meter capable of net metering within ten (10) business days after receipt of the Certificate of Completion if inspection is waived, or within 10 business days after the inspection is completed, if such meter is not already in place.
- 7. Indemnification. Interconnecting Customer and Company shall each indemnify, defend and hold the other, its directors, officers, employees and agents (including, but not limited to, Affiliates and contractors and their employees), harmless from and against all liabilities, damages, losses, penalties, claims, demands, suits and proceedings of any nature whatsoever for personal injury (including death) or property damages to unaffiliated third parties that arise out of, or are in any manner connected with, the performance of this Agreement by that party, except to the extent that such injury or damages to unaffiliated third parties may be attributable to the negligence or willful misconduct of the party seeking indemnification.
- 8. Limitation of Liability. Each party's liability to the other party for any loss, cost, claim, injury, liability, or expense, including reasonable attorney's fees, relating to or arising from any act or omission in its performance of this Agreement, shall be limited to the amount of direct damage actually incurred. In no event shall either party be liable to the other party for any indirect, incidental, special, consequential, or punitive damages of any kind whatsoever.
- 9. Termination. This Agreement may be terminated under the following conditions:
 - 9.1. By Mutual Agreement. The Parties agree in writing to terminate the Agreement.
 - 9.2. By Interconnecting Customer. The Interconnecting Customer may terminate this Agreement by providing written notice to Company.
 - 9.3. By Company. The Company may terminate this Agreement (1) if the Facility fails to operate for any consecutive 12 month period, or (2) in the event that the Facility impairs or, in the good faith judgment of the Company, may imminently impair the operation of the electric distribution system or service to other customers or materially impairs the local circuit and the Interconnecting Customer does not cure the impairment.
- 10. Assignment/Transfer of Ownership of the Facility. This Agreement shall survive the transfer of ownership of the Facility to a new owner when the new owner agrees in writing to comply with the terms of this Agreement and so notifies the Company.
- 11. Interconnection Standard. These Terms and Conditions are pursuant to the Company's "Interconnection Standards for Inverters Sized Up to 100 kVA" for the Interconnection of Customer-Owned Generating Facilities, as approved by the Commission and as the same may be amended from time to time ("Interconnection Standard"). All defined terms set forth in these Terms and Conditions are as defined in the Interconnection Standard (see Company's website for the complete document).

New Hampshire PUC REC Certification Application Owner Statements

The information provided on this application for New Hampshire Renewable Energy Certificate eligibility is accurate to the best of my knowledge and I authorize Knollwood Energy to act on my behalf in filing said application.

The project described in this application will meet the metering requirements of PUC 2506 including:

Electricity generation in megawatt hours shall be reported to the GIS quarterly with a statement that the submission is accurate by the owner of the source, the independent monitor, or a designated representative.

A revenue quality meter is used to measure the electricity generated.

The facility owner has certified to the independent monitor that the meter operates according to manufacturing standards.

The meter shall be maintained according to the manufacturer's recommendations.

The project is installed and operating in conformance with applicable building codes.

A copy of the facility's interconnection agreement is attached.

Walter Ayers	
Printed Name of signature owner	-
WRAyers (May 9, 2016)	

Signature of system owner

EVERSOURCE – NEW HAMPSHIRE

INTERCONNECTION STANDARDS FOR INVERTERS SIZED UP TO 100 KVA

Exhibit B - Certificate of Completion for Simplified Process Interconnections

Eversource - Distributed Generation (NH)
780 North Commercial Street
P. O. Box 330, Manchester, NH 03105-0330

Fax No.: (603) 634-2924